

A company opening the future

SAMIK CORPORATION

**AUTOMOBILE INNER TUBES &
RUBBER SHEET & PLYWOOD**

AUTOMOBILE INNER TUBES





PASSENGER CAR (BIAS)

GROUP SIZE	TIRE SIZE APPLICATION	VALVE	Q' TY / CTN	REMARK
E 10	4.80/5.20-10, 5.95/145-10 5.9-10, 4.80/5.00/5.20/5.50-10 4.50/5.00-10	TR 13	40	
D 12	4.00/4.40-12, 5.35/125-12 5.3-12, 4.00/4.80-12 125/135-12	TR 13	40	
E 12	4.80/5.00/5.20/5.50-12, 5.9-12 5.65/135-12, 5.95/145-12 W78-12, 5.30-12, 145/155-12 4.50/5.00-12, 4.50/5.65-12	TR 13	35	
F 12	5.00/5.50/5.95/6.00-12, 5.60-12 155/165/5.50-12, 5.60/6.00-12 6.2-12, 155/165/175-12 AB78-12	TR 13	35	
E 13	5.20/5.50-13, 5.65/135-13 5.95/145-13, 5.9-13 5.20/5.65-13, 5.00/5.20-13	TR 13	35	
F 13	5.60/5.90/6.00-13, 6.15/155-13 6.45/165-13, A78-13, Y78-13 6.2-13, 6.9-13, Z78-13 155/165-13	TR 13	30	
G 13	6.40/6.50/6.70/7.00-13 6.95/175-13, 7.35/185-13 B78-13, C78-13, 7.3-13 175/185-13	TR 13	30	
K 13	7.25/7.50-13, 195/205-13	TR 13	25	
E 14	5.00/5.20/5.50-14, 5.65/135-14 5.95/145-14, 135/145/155-14 5.00/5.20/5.60-14	TR 13	35	
F 14	5.60/5.90/6.00-14, 6.15/155-14 6.45/165-14, 6.2-14, 6.9-14 155/165-14, 5.50/6.40/6.95-14 6.00-14, 6.40/6.50/6.70/7.00-14	TR 13	30	
G 14	C78-14, 6.95/175-14 7.35/185-14, 175/185-14, C70/D70-14	TR 13	25	
K 14	7.50/8.00-14, 7.75/195-14 8.25/205-14, E78/F78-14 185/195-14	TR 13	25	
M 14	8.50/8.55/8.85/9.00/9.50-14 H78/178/L78-14	TR 13	20	
D 15	4.00/4.25/4.40-15	TR 13	35	
E 15	5.20/5.50-15, 5.65/135-15 5.95/145-15, 135X380 5.00-15, 135/145/155-15	TR 13	30	
F 15	5.60/5.90/6.00L-15, 6.2-15 6.35/155-15, 6.85/165-15 6.85/7.10-15, 165X380 6.40/6.50/6.70/7.00L-15	TR13 TR15	30	
G 15	7.15/175-15, 7.35/185-15 17X380, 7.3-15 C78/D78/E78-15 7.35/7.75-15	TR13 TR15	25	
K 15	7.00/7.10/7.60-15, G70-15 7.75/195-15, 8.15/205-15, 215/225-15 7.50/8.00/8.20/9.00-15	TR13 TR15	20	
M 15	8.45/8.55/8.85-15 L84/9.15-15	TR13 TR15	20	
G 16	6.00/6.50-16	TR 15	22	
K 16	7.00-16, 700/750-16	TR 15	20	
M 16	7.50/8.25-16	TR 15	18	



PASSENGER CAR (RADIAL)

GROUP SIZE	TIRE SIZE APPLICATION	VALVE	Q' TY / CTN	REMARK
ER 10	145R 10	TR 13	40	
DR 12	125R 12	TR 13	40	
ER 12	135R/145R 12, 140R/150R 12 145/70R 12, 155R/70R 12 135R/145R/155R 12, 145R/155R 12 P155/80R 12	TR 13	40	
FR 12	155R 12, 175/70R 12 ZR70-12, P185/80R 12	TR 13	33	
ER 13	135/145R 13, 145/70R 13 155/70R 13, 140R/150R 13 145R/155R 13, 135R/145R/155R 13 5.20R/135R 13	TR 13	35	
FR 13	155R/165R 13, 165/70R 13, 165/80R 13 175/70R 13, 160R/165R 13 P155/P165/80R 13, P165R/175R 13 AP78/BR78/AR70-13	TR 13	30	
GR 13	175R/185R 13, 185/70R 13 195/70R 13, 170R/180R 13 CR78-13, CR70-13 175R/185R/195R 13, 7.00R/185R 13	TR 13	28	
KR 13	195R/205R 13, DR70/ER70-13	TR 13	25	
ER 14	135R/145R 14, 155/70R 14 140R/150R 14	TR 13	35	
FR 14	155R/165R 14, 165/70R 14, 160/170R 14 175/70R 14, 155/165/175R 14, P165/80R 14 155/165/175R 14, P165/80R 14 AR78/BR78-14, 165/175R 14	TR 13	30	
GR 14	175R/185R 14, 185/70R 14 195/70R 14, 170R/180R 14 185R/195R 14, CR78/DR78-14 P175/P185/P195/75R 14	TR 13	25	
KR 14	195R/250R 14, 205/70R 14 215/70R 14, DR70/ER70-14 FR70-14, ER78/FR78/GR78-14 P205/P215/70R 14	TR 13	25	
MR 14	215R/225R 14, 215/235R 14 235R 14, 235/70R 14 H78/JR78/LR78/HR70/LR70-14	TR 13	20	
DR 15	125R/135R 15, 125R 15	TR 13	35	
ER 15	135R 15, 135R/145R 15, 145/70R 15 155/70R 15, 140R/150R 15 145R/155R 15	TR 13	30	
FR 15	155R15, 155R/165R 15, 165/70R 15 165R 15, 175/70R 15 P165/80R 15, 155R/165R/175R 15	TR13 TR15	30	
GR 15	175R 15, 185R 15, 175R/185R 15 185R/70R 15, 195/70R 15, 70R/180R 15 P185/P195/P205/75R 15	TR13 TR15	25	
KR 15	195R 15, 205R 15, 195R/205R 15 215/70R 15, 225/70R 15, GR70-15 P205/P215/75R 15, GR78-15 205/225/70R 15	TR 13 TR 15	20	
MR 15	215R/225R 15, 255/70R 15, 235/75R 15 285/70R 15, HR70/JR70-15 LR78-15, P235/75R 15 235R/245R 15	TR 13 TR 15	20	
GR 16	175R/185R 16	TR 13	22	
KR 16	195R/205R 16, 205R 16, 700/750-16	TR 75A / TR 13	18 / 20	
MR 16	215R/225R 16	TR 13	18	



60 SERIES PASSENGER CAR (RADIAL)

SIZE	VALVE	Q'TY / CTN	REMARK
185/60R 13	TR 13	25	
195/60R 13	TR 13	25	
P195/60R 13	TR 13	25	
205/60R 13	TR 13	25	
P205/60R 13	TR 13	25	
185/60R 14	TR 13	25	
P185/60R 14	TR 13	25	
195/60R 14	TR 13	25	
P195/60R 14	TR 13	25	
205/60R 14	TR 13	20	
P205/60R 14	TR 13	20	
215/60R 14	TR 13	20	


SIZE	VALVE	Q'TY / CTN	REMARK
255/60R 14	TR 13	20	
P255/60R 14	TR 13	20	
P235/60R 14	TR 13	20	
185/60R 15	TR 13	22	
195/60R 15	TR 13	22	
P195/60R 15	TR 13	20	
205/60R 15	TR 13	20	
P205/60R 15	TR 13	20	
215/60R 15	TR 13	18	
P215/60R 15	TR 13	18	
P225/60R 15	TR 13	18	
P235/60R 15	TR 13	18	



LIGHT TRUCK (BIAS)

SIZE	VALVE	Q'TY / CTN	REMARK
5.00-12	TR 13	35	
5.00-13	TR 13	35	
5.50-13	TR 13	35	
6.00-13	TR 13	30	
7.00-13	TR 13/TR75A	30/20	
D78-14	TR 13	30	
E78-14	TR 13	25	
F78-14	TR 13	25	
6.00-14	TR 13	25	
6.50-14	TR 13	25	
7.00-14	TR 13/TR75A	25/20	
7-14.5	TR 300	25	
8-14.5	TR 300	25	
G78-15	TR15, TR150	20	
H78-15	TR13, TR15, TR150	20	
L78-15	TR15, TR150	18	
7.50-15	TR15, TR150	18	
	TR177A	16	
8.15-15	TR13,TR15/TR75A	15/12	
8.25-15	TR75A, TR77A/TR440	12/14	
8.50-15	TR75A, TR77A/TR440	12/14	
9.00-15	TR15, TR150	14	
	TR 175A	12	
10/11-15	TR 15	12	
10.0/75-15.3	TR 15	12	
10.0/75-15	TR 15	12	
11.5/80-15.3	TR 15	12	
11.5-15	TR 15	12	


SIZE	VALVE	Q'TY / CTN	REMARK
5.00/5.50-16	TR 15	22	
200-15	TR 15	16	
250-15	TR 15	16	
300-15	TR 15/TR 75A	12	
6.00-15	TR 15/TR 75A	25/20	
6.50-15	TR 15	23	
6.70-15	TR 15	23	
7.00-15	TR15, TR 150/TR 75A	18/16	
7.10-15	TR 15	20	
10.15	TR 15	15	
9.00-16	TR 15/TR 177A	10/10	
1000-16	TR 15	12	
11.00-16	TR 15	10	
205-16	TR 15	20	
245-16	TR 15	16	
250-16	TR 15	16	
6.00-16	TR 15/TR 75A	22/18	
6.50-16	TR 15/TR150	22	
	TR 75A	18	
7.00-16	TR13, TR15, TR150	20	
	TR 75A, TR 177A	16	
7.50-16	TR13, TR15, TR150	18	
	TR 75A, TR 177A	14	
8.25-16	TR75A,TR177A/TR150	12/14	
8.25-17	TR 75A	12	
7.00-18	TR 75A	12	
7.50-18	TR 75A/TR 150	12/14	
6.00-19	TR 15	20	
8.00-19	TR 15	12	
7.50-17	TR 177A	12	
7.50-18	TR 13	14	



LIGHT TRUCK (RADIAL)

SIZE	VALVE	Q'TY / CTN	REMARK
200R 15	TR 13	16	
250R 15	TR 15	16	
300R 15	TR 15	12	
6.00R 15	TR 15/TR75A	25/20	
7.00R 15	TR 75A,TR150	16	
7.50R 15	TR 75A,TR150,TR15	16	
8.15R 15	TR 177A	12	
8.25R 15	TR 15, TR78A	12	
	TR 75A, TR77A	12	
8.50R 15	TR 75A, TR77A	12	
9.50R 15	TR 15, TR 150	14	
	TR 175A	12	
9R 15	TR 15	18	
10.00R 15	TR 78A	10	
10/11R 15	TR 15	12	
5.00/5.50R 16	TR 15	25	
205R 16	TR 15	20	
245R 16	TR 15	16	
250R 16	TR 15	16	
10R 15	TR 15	12	
145R 12	TR 13	40	
175R 13	TR 13	30	

SIZE	VALVE	CTN	REMARK
7.00R 13	TR 13	30	
DR 78-14	TR 13	25	
ER 78-14	TR 13	25	
7.00R-14	TR 13	25	
GR 78-15	TR 15, TR150	20	
HR 78-15	TR 15, TR150	20	
LR 78-15	TR150	20	
6.00R 16	TR 15, TR75A	20/18	
	TR150	20	
6.50R 16	TR 15, TR150	20	
	TR 75A	18	
7.00R 16	TR 15, TR150	18	
	TR 75A	16	
7.50R 16	TR 15, TR150	16	
	TR 75A, TR 177A	10	
8.25R 16	TR 75A, TR 177A	12	
9.00R 16	TR77A	10	
10.00R 16	TR 15	10	
11.00R 16	TR 15	8	
8.25R 17	TR 75A	12	
7.00R 18	TR 75A	14	
7.50R 18	TR 75A, TR 15	14	



TRUCK & BUS (BIAS)

SIZE	VALVE	Q'TY / CTN	REMARK
6.50-20	TR 177A/TR15	12/15	
7.00-20	TR 177A/TR15	12/15	
7.50-20	TR 177A/TR15	12/15	
8.25-20	TR 77A	10	
9.00-20	TR 175A, TR443	8	
10.00-20	TR 78A	7	
11.00-20	TR 78A	6	
12.00-20	TR 78A	6	
13.00-20	TR 78A	5	
14.00-20	TR 78A	5	
16.00-20	TR 179A	3	


SIZE	VALVE	CTN	REMARK
10.00-22	TR 78A	6	
11.00-22	TR 78A	5	
11.00-24	TR 78A	4	
12.00-24	TR 78A	5	
13.00-24	TR 179A/TR218A	4	
14.00-24	TR 179A/TR218A	4	
10-22.5	TR 300	7	
11-22.5	TR 300	7	
12-22.5	TR 300	7	
11-24.5	TR 300	5	
12-24.5	TR 300	5	
8.3-22	TR 218A	10	



TRUCK & BUS (RADIAL)

SIZE	VALVE	Q'TY / CTN	REMARK
6.50R-20	TR 177A	12	
7.00R-20	TR 177A	12	
7.50R-20	TR 177A	12	
8.25R-20	TR 77A	8	
9.00R-20	TR 175A	8	
10.00R-20	TR 78A	6	
11.00R-20	TR 78A	5	
12.00R-20	TR 78A	5	
13.00R-20	TR 78A	4	
14.00R-20	TR 78A, TR 179A	4	
12.5R-20	TR 218A	6	
14.5R-20	TR 218A	5	

SIZE	VALVE	CTN	REMARK
10.00R 22	TR 78A	5	
11.00R 22	TR 78A	5	
11.00R 24	TR 78A	4	
12.00R 24	TR 78A	4	
13.00R 24	TR 179A	4	
14.00R 24	TR 179A	4	
10R 22.5	TR 300	6	
11R 22.5	TR 300	6	
12R 22.5	TR 300	6	
11R 24.5	TR 300	5	
12R 24.5	TR 300	5	



OFF THE ROAD (BIAS)

SIZE	VALVE	Q'TY / CTN	REMARK
12.00-20	TR 78A	6	
13.00-20	TR 179A	5	
14.00-20	TR 179A, TRJ 1175C	4	
16.00-20	TR 179	3	
12.00-24/25	TR 78A	4	
13.00-24/25	TR 179A	4	
14.00-24/25	TR 179A	4	
16.00-24/25	TR J1175C TR J4000	3	
18.00-24/25	TR J1175C TR J4000	2	
18.4-24	TR 218A	3	
600/50-22.5	TR 218A	2	

SIZE	VALVE	Q'TY / CTN	REMARK
15.5-25	TR J1175C TR J4000	4	
17.5-25	TR J1175C TR J4000	3	
20.5-25	TR J1175C TR J4000	2	
23.5-25	TR J1175C TR J4000	2	
26.5-25	TR J1175C TR J4000	1	



INDUSTRIAL, TRACTOR, IMPLEMENT (BIAS)

SIZE	VALVE	Q'TY / CTN	REMARK
4.00-7	TR 13	50	
4.00-8	JS2, TR87, TR89	40	
5.00-8	TR 13	45	
5.00-8	JS2, TR244	35	
4.00/4.80-8	TR 13, JS2, TR87	45/40	
5.00/5.70-8	TR 13, JS2, TR87	35	
6.00-9	TR 13, JS2, TR87	30	
6.00/6.90-9	TR 13, JS2, TR87	30	
5.00-10	TR 13, JS2, TR244	35	
6.50-10	JS2, TR15, JS89	25	
7.50-10	JS2, TR75A	20	
4.00-12	TR 13	35	
5.00-12	TR 13	35	
6.00-12	TR 13	30	
7.00-12	JS2, TR75A, TR13, TR15	18	
10.0/80-12	TR15	15	
9.00-13	TR15	16	
7.5L-15	TR15	20	
9.5L-15	TR15	20	
5.00-15	TR15	30	
11L-15	TR15/TR78A	12/10	
12.5L-15	TR15	12	
10.5-15	TR15	12	
10.0/75-15	TR15	12	
11.5/80-15	TR15	12	
10.0/75-15.3	TR15	12	
10/11-15	TR15	12	
12.5/60-15	TR15	12	
11.5/80-15.3	TR15	12	
12.5/80-15.3	TR15	12	
4.00/60-15.5	TR15	6	
11L-15/16	TR15	12	
10.00-16	TR 218A	10	
11.00-16	TR 218A, TR15, V3	8	
10.5/65-16	TR15	15	
11.5/70-16	TR15	12	
13.0/75-16	TR15	8	
13.50/16.1	TR15, TR218A	8	
13.0/65-16	TR15	8	
14.0/65-16	TR15	8	
14L-16.1	TR15, TR218A	8	
11/12-15	TR15	12	
13.5/75-17	TR15	7	
15.0/55-17	TR15	6	
19.0/45-17	TR15	6	
15.0/70-18	TR15	8	
10.0/80-18	TR15	10	
11.5/70-18	TR15	8	

SIZE	VALVE	Q'TY / CTN	REMARK
12.5/80-18	TR 15, TR 300	8	
13.0/65-18	TR 15	8	
15.0/70-18	TR 15	8	
4.00-19	TR 15	25	
6.00-19	TR 15, TR 89	20	
8.00-19	TR 15	12	
10.5/80-20	TR 15, TR218A	10	
12.5/80-20	TR 15, TR218A	6	
14.5/80-20	TR 15, TR218A	5	
16.0/70-20	TR 15, TR218A	4	
8.3-24/8-24	TR218A	10	
9.5-24/9-24	TR218A	10	
11.2-24/10-24	TR218A	6	
12.4-24/11-24	TR218A	6	
13.6-24/12-24	TR218A	4	
14.9-24/13-24	TR218A	4	
15.5/80-24	TR218A	4	
16.5/80-24	TR218A	3	
16.9-24/14-24	TR218A	4	
KM24	TR218A	4	
18.4-24	TR218A	4	
120/90-26	TR218A	14	
13.6/12-26	TR218A	6	
14.9-26/13-26	TR218A	4	
16.9-26/14-26	TR218A	3	
18.4-26/15-26	TR218A	3	
23.1-26	TR218A	2	
16.5/80-28	TR218A	3	
11.2-28/10-28	TR218A	5	
12.4-28/11-28	TR218A	5	
13.6-28/12-28	TR218A	4	
14.9-28/13-28	TR218A	4	
16.9-28/14-28	TR218A	3	
18.4-28/15-28	TR218A	3	
14.9-30/13-30	TR218A	3	
16.9-30/14-30	TR218A	3	
18.4-30/15-30	TR218A	3	
18-30	TR218A	3	
23.1-30	TR218A	1	
8.3/8-32	TR218A	8	
9.5/9-32	TR218A	8	
12.4-32/11-32	TR218A	4	
16.9-34/14-34	TR218A	3	
18.4-34/15-34	TR218A	3	
4.00-36	TR 15	16	
23.1-34	TR218A	1	
8.3/8-36	TR218A	6	
9.5/9-36	TR218A	6	
11.2-36/10-36	TR218A	4	
12.4-36/11-36	TR218A	4	
13.6-36/12-36	TR218A	4	
20.8R 34	TR218A	1	



INDUSTRIAL, TRACTOR, IMPLEMENT (BIAS)

SIZE	VALVE	Q'TY / CTN	REMARK
11.2-38/10-38	TR 218A	3	
12.4-38/11-38	TR 218A	3	
13.6-38/12-38	TR 218A	3	
14.9-38/13-38	TR 218A	3	

SIZE	VALVE	Q'TY / CTN	REMARK
15.5-38	TR 218A	2	
16.9-38/14-38	TR 218A	2	
18.4-38/15-38	TR 218A	2	
20.8-38	TR 218A	2	
12.4-42	TR 218A	3	

RADIAL TUBES ARE ALSO WORKABLE UPON REQUEST.

WIDE BASE TUBES (BIAS)

SIZE	VALVE	Q'TY / CTN	REMARK
7/8-14.5	TR 300	25	
8.00-16.5	TR15	25	
8.75-16.5	TR15	18	
9.50-16.5	TR15	16	
10.00-16.5	TR15	16	
11.00-16.5	TR15	10	
12.00-16.5	TR15	12	
12.5-16.5	TR15	8	
7.00-17.5	TR300	14	
8.00-17.5	TR300	12	
8.50-17.5	TR300	12	

SIZE	VALVE	Q'TY / CTN	REMARK
8.00-19.5	TR 300	14	
9.00-19.5	TR 300	14	
8.00-22.5	TR 300	12	
9.00-22.5	TR 300	10	
10.00-22.5	TR 300	7	
11.00-22.5	TR 300	6	
12.00-22.5	TR 300	5	
13.00-22.5	TR 300	5	
11.00-24.5	TR 300	5	
12.00-24.5	TR 300	4	

WIDE BASE TUBES (RADIAL)

SIZE	VALVE	Q'TY / CTN	REMARK
7/8R 14.5	TR 300	25	
8.00R 16.5	TR 15	25	
8.75R 16.5	TR 15	18	
9.50R 16.5	TR 15	16	
10.00R 16.5	TR 15	14	
11.00R 16.5	TR 15	10	
12.00R 16.5	TR 15	8	
2.5R 16.5	TR 15	8	
7.00R 16.5	TR 300	14	
8.00R 17.5	TR 300	12	
8.50R 17.5	TR 300	12	

SIZE	VALVE	Q'TY / CTN	REMARK
8.00R-19.5	TR 300	14	
9.00R-19.5	TR 300	14	
8.00R-22.5	TR 300	12	
9.00R-22.5	TR 300	10	
10.00R-22.5	TR 300	6	
11.00R-22.5	TR 300	6	
12.00R-22.5	TR 300	5	
13.00R-22.5	TR 300	4	
11.00R-24.5	TR 300	5	
12.00R-24.5	TR 300	4	

NEW SIZES OF TUBES ARE ACCEPTABLE UPON REQUEST WITH VOLUME ORDER.

LOW SECTION HEIGHT

SIZE	VALVE	Q'TY / CTN	REMARK
23X10.00-12	TR 15	20	
27X850-15	TR 15	20	

EXTRA WEIGHT TUBES ARE WORKABLE AS BUYER'S REQUEST.

TIRE FLAPS

TUBE SIZE	FLAP SIZE	PCS / BOX
6.00-9	9-4.8	30
6.50-10	10-6.0	30
7.00-12	12-5.7	30
6.00-15, 6.50-15	15-6.4	20
6.50-15, 7.00-15, 7.50-15, 8.25-15, 200/700-15, 195R15, 7.00R15, 7.50R15, 8.25R15, 15L	15-7.05	20
250/8.15-15, 8.15-15, 9.00-15 10.00-15, 300-15	15-7.7	17
6.50-16, 7.00-16, 7.50-16, 8.25-16 L-16, 6.50R16, 7.00R16 7.50R16, 205R16	16-6.9	20
9.00-16	16-7.3	10
7.00-20, 7.50-20, 8.25-20, 9.00-20, 900R20	20-7.5	9
10.00R20, 11.00R20, 8.5R-20	20-8.5	8
10.00-20, 11.00-20	20-8.5	8
13.00-20, 14.00-20	20-10	6
10.00-22, 11.00-22, 10.00R22 11.00R22	22-8.3	7
11.00-24, 12.00-24, 13.00-24 11.00R24, 12.00R24	24-8.5	6
14.00-24, 16.00-24, 16.00-25 15.5-25	25-10.5	4
17.5-25	25-14.5	2
20.5-25, 23.5-25	25-20	2
7.50-18, 7.50R18	18-6.97	10
12.00-20, 12.00R20, 11.00/12.00-20	20-9.1	6





SAMIK CORPORATION (Headquarter)

176, Jungang-daero, Dong-gu, Busan, Republic of Korea 48822

TEL : +82-51-463-5351~5 FAX : +82-51-462-9707

E-MAIL : info@samikgroup.co.kr



SAMIK CORPORATION (Production Facility)

61(Dadae-dong), Dasan-ro, Saha-gu, Busan, Republic of Korea 49499

TEL : +82-51-261-5351~2 FAX : +82-51-261-7645